

Viticulture Notes Index

Adjuvants	19,3(2004)			
Apogee	15,6(2000)			
Berries				
Shrivel	14,3(1999)			
Splitting	21,4(2006)			
Bud necrosis	16,3(2001)	18,6(2003)		
Canopy management strategies				
Cluster thinning	15,3(2000)	20,4(2005)	22,3(2007)	23,2(2007)
Dormant pruning	18,6(2003)	19,1(2004)	20,1(2005)	21,5(2006)
	22,6(2007)	23,3(2008)		
Shoot thinning	16,3(2001)	22,3(2007)	23,2(2007)	
Shoot positioning	16,3(2001)	19,3(2004)	23,2(2007)	
Leaf pulling	16,3(2001)	19,3(2004)	20,4(2005)	22,4(2007)
Scouting	21,3(2006)			
Shoot hedging	16,3(2001)	19,3(2004)	20,4(2005)	22,3(2007)
	22,4(2007)	23,2(2007)		
Vine balance	19,4(2004)	19,5(2004)		
Vine vigor	20,1(2005)			
Changing topsoil and subsoil pH		17,2(2002)		
Climate change	19,4(2004)			
Clones	13,6(1998)			
Cold hardiness				
Cold acclimation	16,1(2001)	16,6(2001)	17,6(2002)	
Cold deacclimation	20,2(2006)	22,1(2007)		
Cold injury	16,5(2001)	18,5(2003)	19,1(2004)	19,2(2004)
	22,6(2007)			
Varietal differences	13,1(1998)	20,6(2005)		
Composting	18,5(2003)			
Cover crops	20,1(2005)	20,4(2005)		
Crop insurance	15,1(1998)			
Crop levels	15,6(2000)			
Diseases				
Anthracnose	18,3(2003)			
Black rot	14,1(1998)	14,2(1999)	14,2(1999)	15,3(2000)
	16,2(2001)	18,3(2003)	18,4(2003)	19,3(2004)
Botrytis & summer fruit rots	14,2(1999)	15,2(2000)	15,3(2000)	15,4(2000)
	16,2(2001)	16,5(2001)	17,4(2002)	18,3(2003)
	20,4(2005)	20,2(2006)	22,4(2007)	19,3(2004)
Crown gall	18,3(2003)			
Downy mildew	14,1(1998)	14,2(1999)	14,2(1999)	15,3(2000)
	16,2(2001)	17,4(2002)	18,3(2003)	18,4(2003)
	22,4(2007)	23,1(2007)		19,3(2004)
Grape leafroll virus		23,3(2008)		
Grapevine trunk diseases		18,6(2003)	20,1(2005)	21,5(2006)

Grapevine yellows	13,5(1998)	14,3(1999)	15,2(2000)	15,6(2000)
Phomopsis cane and leaf spot	14,1(1998)	14,2(1999)	14,2(1999)	15,2(2000)
	15,3(2000)	16,2(2001)	18,2(2003)	23,1(2007)
Pierce's disease	17,2(2002)			
Powdery mildew	14,1(1998)	13,5(1998)	14,2(1999)	14,2(1999)
	15,3(2000)	15,4(2000)	16,2(2001)	17,4(2002)
	18,3(2003)	18,4(2003)	19,3(2004)	20,4(2005)
	21,3(2006)	22,3(2007)	23,1(2007)	
Zonate leaf spot	15,5(2000)	18,3(2003)		
Disease management strategies	14,1(1998)	14,2(1999)	15,2(2000)	16,2(2001)
	17,3(2002)	18,2(2003)	20,2(2005)	21,3(2006)
	21,4(2006)	23,2(2007)		
Disorders				
Bunch stem necrosis	14,2(1999)			
Rupestris speckle	21,4(2006)			
Dormant season sprays	13,5(1998)			
Drought and water stress	17,4(2002)	19,5(2004)	22,4(2007)	
Eastern Piedmont variety evaluation (Blackstone research vvd.)			20,5(2005)	22,6(2007)
Economical practices	15,2(2000)			
Farm business management				
State and local tax credits	16,4(2001)			
Filippo Mazzei	18,2(2003)			
France wine study tour	17,6(2002)			
Frost/freeze injury	17,3(2002)	22,2(2007)	22,3(2007)	22,4(2007)
Frost protection	14,1(1998)	15,1(1998)		
Fruit set	21,4(2006)	21,6(2006)	22,3(2007)	
Fungicides				
Abound	13,1(1998)	14,2(1999)	15,3(2000)	16,2(2001)
Armicarb 100	16,4(2001)	20,4(2005)		
Elevate	15,3(2000)	16,2(2001)		
Elite	14,2(1999)	15,3(2000)	16,2(2001)	
Flint	15,3(2000)	16,2(2001)		
Gavel	22,2(2007)			
JMS Stylet oil	18,2(2003)	18,2(2003)	20,4(2005)	
Mancozeb	14,2(1999)			
Nova	22,6(2007)			
Nutrol	15,3(2000)	16,2(2001)	17,3(2002)	20,4(2005)
ProPhyt	17,3(2002)	18,2(2003)	19,2(2004)	
Scala	20,2(2005)			
Serenade	16,4(2001)	18,2(2003)		
Sovran	14,2(1999)	15,3(2000)	16,2(2001)	
Sulfur	20,4(2005)	22,5(2007)		
Vanguard	15,1(1998)	14,2(1999)	15,3(2000)	16,2(2001)
				16,5(2001)
Fungicide resistance management	17,1(2002)	17,3(2002)	18,3(2003)	19,3(2004)
	21,1(2006)	21,3(2006)	23,1(2007)	
Global climate change	15,1(2000)			
Grape price data	17,5(2002)	19,1(2004)	20,2(2005)	22,1(2007)
Grape production issues	15,1(2000)			

Grow tubes	17,4(2002)	18,3(2003)	20,4(2005)		
Hail injury	21,4(2006)	22,3(2007)	22,3(2007)		
Harvest grape quality	21,5(2006)	22,4(2007)	22,5(2007)	23,3(2008)	
Herbicides					
Pre-emergent	17,2(2002)				
Post-emergent	22,2(2007)				
Hilling & de-hilling vines	14,5(1999)	15,5(2000)	16,5(2001)	18,5(2003)	
Insecticides					
Guthion	14,3(1999)				
Intrepid	18,4(2003)				
PennCap-M	14,3(1999)				
Insects					
Climbing cutworm	14,1(1998)	14,2(1999)	15,2(2000)	16,1(2001)	
	18,2(2003)	22,2(2007)	23,1(2007)		
European red mite	14,1(1998)				
Grape berry moth	15,1(1998)	22,3(2007)			
Grape leafminer	14,3(1999)				
Grapevine aphids	18,4(2003)				
Nematodes	18,5(2003)				
Periodical cicada	18,3(2003)	19,2(2004)			
Phylloxera	13,6(1998)	17,5(2002)	23,1(2007)	23,2(2007)	
Tomato tumid gall	23,2(2007)				
Irrigation	14,1(1999)	14,5(1999)			
Labor issues	14,2(1999)	14,2(1999)	14,3(1999)		
Leaf area to crop ratio	15,4(2000)				
Lightning injury	22,3(2007)				
Nelson Shaulis	15,1(2000)				
New Zealand viticulture	20,2(2006)				
Nutrient deficiencies					
Analysis	20,3(2005)				
Magnesium	14,3(1999)				
Molybdenum	21,4(2006)	21,6(2006)			
Phosphorus	19,5(2004)				
Potassium	15,4(2000)				
Plant tissue analysis	15,1(1998)	15,3(2000)	17,3(2002)	20,3(2005)	22,3(2007)
	22,5(2007)	23,2(2007)			
Post harvest sprays	15,5(2000)				
Rhone region viticulture	13,6(1998)				
Soil analysis	20,3(2005)				
Soil quality factors	21,1(2006)	21,4(2006)			
Southern Australian viticulture	15,1(2000)				
Sprayers					
Appropriate size and horsepower		18,4(2003)			
Maintenance	17,5(2002)				
Spray drift mitigation	20,3(2005)				
Record-keeping	20,3(2005)				

Summer oil sprays		15,3(2000)		
Temperature recording		13,5(1998)		
Terror effects		19,4(2004)		
Toxicity	Flouride	15,4(2000)		
	Black walnut trees	15,5(2000)		
Training systems	Geneva Double Curtain	15,4(2000)	16,6(2001)	
	Scott-Dyson	15,6(2000)	16,6(2001)	
	Vertically shoot positioned	15,6(2000)	16,6(2001)	
Tropical storms		18,5(2003)	19,4(2004)	
Trunk bud rubbing		15,3(2000)		
Uruguay wine producing region		17,1(2002)		
Varieties				
	Chardonel	13,6(1998)		
	Merlot	23,3(2008)		
	Petit and Gros Manseng	18,1(2003)	19,6(2004)	
	Viognier	16,3(2001)		
Vine replacements		22,5(2007)		
Vine rooting depth		18,3(2003)		
Vineyard suitability mapping		15,1(1998)		
Virginia viticulture overview		18,1(2003)		
Weed management		14,6(1999)		
	Pre-emergent herbicides	16,1(2001)		
	Post-emergent herbicides	14,5(1999)		
Wildlife exclusion	Bird control	13,5(1998)		
	Deer control	15,4(2000)		
Winegrape fungicide and insecticide guides		22,2(2007)	24,1(2009)	
Winegrape production guide for eastern North America		22,1(2007)	23,3(2008)	
Winery logistics		15,1(2000)		
Worker Protection Standard (EPA)		24,1(2009)		
Wound protection		20,1(2005)		
Young vines		18,3(2003)		